

Andi Sudiarso
Muslim Mahardika

ADVANCED MACHINING PROCESSES

(Non-Conventional)



Gadjah Mada University Press

TABLE OF CONTENTS

PREFACE.....	v
INTRODUCTION	vii
TABLE OF CONTENTS.....	ix
LIST OF TABLES	xiii
LIST OF FIGURES	xv
CHAPTER 1 ELECTROCHEMICAL MACHINING (ECM)	1
1.1 PRINCIPLE OF ECM.....	1
1.1.1 Mechanism of Material Removal	2
1.1.2 Importance of Electrolyte Solution	5
1.2 ECM MACHINES.....	7
1.2.1 Industrial ECM	7
1.2.2 Process Conditions.....	9
1.3 DIMENSIONAL ACCURACY AND SURFACE FINISH	10
1.4 MATHEMATICS OF ECM	13
1.5 PROCESS PARAMETERS OF ECM.....	15
1.5.1 Applied Voltage.....	16
1.5.2 Electrolyte Concentration.....	17
1.5.3 Feedrate of Electrode.....	18
1.5.4 Machining Time	19
1.5.5 Material Type.....	20
1.6 APPLICATIONS OF ECM.....	23
1.7 ADVANTAGES AND LIMITATIONS OF ECM.....	26
1.8 ECONOMIC CONSIDERATIONS	27
1.9 DEVELOPMENTS ON ECM.....	29
1.10 SUMMARY	31

CHAPTER 2 ELECTRO-DISCHARGE MACHINING (EDM)	33
2.1 PRINCIPLE OF EDM	33
2.1.1 Mechanism of Material Removal	34
2.1.2 Importance of Dielectric Fluid	35
2.2 EDM MACHINES	37
2.2.1 Relaxation Circuit versus Pulse Generator ...	38
2.2.2 Tool Materials	41
2.2.3 Industrial EDM	42
2.2.4 Process Conditions	43
2.3 DIMENSIONAL ACCURACY AND SURFACE FINISH	45
2.4 MATHEMATICS OF EDM	47
2.5 PROCESS PARAMETERS OF EDM	49
2.5.1 Applied Voltage	49
2.5.2 Feedrate of Electrode	51
2.5.3 Material Type	52
2.5.4 Wire EDM	53
2.6 APPLICATIONS OF EDM	54
2.7 ADVANTAGES AND LIMITATIONS OF EDM	57
2.8 ECONOMIC CONSIDERATIONS	58
2.9 DEVELOPMENTS ON EDM	59
2.10 SUMMARY	61
CHAPTER 3 SPECIAL APPLICATION OF ECM AND EDM:	
ELECTRICAL DRESSINGS	63
3.1 INTRODUCTION	63
3.2 SUPERABRASIVE GRINDING WHEELS	64
3.3 IMPORTANCE OF GRINDING WHEELS DRESSING	66
3.4 ECM, EDM, AND HYBRID SYSTEM	67
3.5 ELECTRICAL DRESSING METHODS	69
3.5.1 Electrochemical Dressing (ECD)	69
3.5.2 Electrolytic In-Process Dressing (ELID)	72
3.5.3 Electrodischarge Dressing (EDD)	75
3.5.4 In-Process Electrodischarge Dressing (IEDD)	78

3.5.5	Electrochemical Discharge Dressing (ECDD).....	80
3.5.6	Electrolytic Interval Dressing (ELID II).....	82
3.6	SUMMARY	85
CHAPTER 4 OTHER TYPES OF NON-CONVENTIONAL MACHINING		
		87
4.1	LASER BEAM MACHINING (LBM)	87
4.2	ELECTRON BEAM MACHINING (EBM)	95
4.3	ULTRASONIC MACHINING (USM).....	100
4.4	PLASMA ARC MACHINING (PAM)	104
4.5	WATER JET MACHINING (WJM).....	108
4.6	ABRASIVE JET MACHINING (AJM)	110
REFERENCES	113
CHAPTER 1	113
CHAPTER 2	116
CHAPTER 3	118
CHAPTER 4	120
THE AUTHORS	122

LIST OF TABLES

Table 1.1	Conductivity of some electrolyte solutions*	6
Table 1.2	Typical process conditions of the ECM	9
Table 1.3	Comparison of MRR at different applied voltage	16
Table 1.4	Effect of applied voltage on MRR	16
Table 1.5	Effect of applied voltage on MRR using copper workpiece	17
Table 1.6	Comparison of surface roughness at different voltage ...	17
Table 1.7	Comparison of MRR at different electrolyte concentration.....	17
Table 1.8	Effect of electrolyte concentration on MRR.....	18
Table 1.9	Comparison of MRR at different feedrate	18
Table 1.10	Effect of feedrate on MRR	18
Table 1.11	Average MRR machined using 2 mm brass electrode...	20
Table 1.12	Average overcut machined using 2 mm brass electrode.	22
Table 2.1	Comparison of some EDM tool materials	41
Table 2.2	Typical process conditions of the EDM	44
Table 2.3	Material type and ease of machining by EDM based on $\lambda.\theta.\rho$ theory	49
Table 2.4	Comparison of MRR at different applied voltage using high carbon steel workpieces	50
Table 2.5	Comparison of MRR at different applied voltage using aluminium workpieces.....	50
Table 2.6	Comparison of EW at different applied voltage.....	50

Table 2.7	Comparison of EW at different applied voltage using aluminium workpieces.....	51
Table 2.8	Comparison of overcut at different applied voltage	51
Table 2.9	Comparison of overcut at different applied voltage using aluminium workpieces.....	51
Table 2.10	Comparison of EW at different feedrate	51
Table 2.11	Comparison of MRR, EW, and overcut using different workpiece material	52
Table 2.12	Comparison of VRR at different applied voltage on wire-EDM	53
Table 2.13	Comparison of EW at different applied voltage on wire-EDM.....	53
Table 2.14	Comparison of overcut at different applied voltage on wire-EDM	54
Table 3.1	Carbide inserts surface roughness produced using in-process ECDD and compared with traditional SiC wheel dressing.....	85
Table 4.1	Characteristics of common industrial lasers for material processing.....	93
Tabel 4.2	Typical USM cutting rates-drilling (Branson Sonic Power Company)	102
Table 4.3	Different crystallographic phases identified from XRD patterns of the arc plasma melt-cast composites of WC + B ₄ C	106

LIST OF FIGURE

Figure 1.1	Electrolysis of iron in sodium chloride solution	3
Figure 1.2	Components of industrial electrochemical machine ..	8
Figure 1.3	Effects of different electrolytes on the current efficiency/ current density relationship	10
Figure 1.4	Effects of different electrolytes on overcut in drilling (a) sodium nitrate (b) sodium chloride	11
Figure 1.5	Tool-electrodes in ECM (a) conventional tool (b) dual pole tool	13
Figure 1.6	Workpiece after machining using machining time 360 s	19
Figure 1.7	Workpiece after machining using machining time 420 s	19
Figure 1.8	Workpiece after machining using machining time 390 s	20
Figure 1.9	Hole machined using ECM on workpieces of (a) brass (with sparks), (b) stainless steel, (c) aluminium	21
Figure 1.10	The angle of overcut for workpieces of (a) brass, (b) stainless steel, (c) aluminium	22
Figure 1.11	An ECG machine	24
Figure 1.12	A STEM process	25
Figure 1.13	Cost comparisons of conventional milling operation and ECM.....	28
Figure 1.14	Current-controlled rectangular MREF	30

Figure 2.1	A typical variation of the capacitor voltage on a relaxation-based EDM	38
Figure 2.2	A typical voltage and current characteristics of a pulsed EDM	40
Figure 2.3	Components of solid-state circuitry-based EDM	43
Figure 2.4	Three layers formed in the workpiece of EDM	45
Figure 2.5	Different wear on tool electrode after machining of aluminium (left), stainless steel (right).....	52
Figure 2.6	Different overcut after machining of (a) aluminium (b) stainless steel.....	52
Figure 2.7	A wire-EDM	55
Figure 2.8	An orbital EDM (a) side view and (b) plan view	57
Figure 3.1	Comparison of ECM and EDM drilling process	68
Figure 3.2	ECAM drilling process	68
Figure 3.3	Experimental setup of the ECD-AC	70
Figure 3.4	Experimental setup for twin electrodes	71
Figure 3.5	Principle of the ECD-AC method	71
Figure 3.6	Schematic illustration of ELID grinding	72
Figure 3.7	Mechanism of ELID grinding	73
Figure 3.8	Mechanism of ELID and optimum-ELID grinding	74
Figure 3.9	Configurations of EDD with (a) a stationary electrode, (b) a rotary electrode, and (c) a wire electrode	76
Figure 3.10	Configuration of EDD with a slat electrode	77
Figure 3.11	Fluid free EDD, (a) schematic illustration and (b) the process	78
Figure 3.12	Experimental setup of IEDD	79
Figure 3.13	Mechanism of IEDD	79
Figure 3.14	ECDD centreless grinding setup	81
Figure 3.15	Voltage and current waveforms during ECDD	81
Figure 3.16	ELID II mechanism	83
Figure 3.17	Experimental setup for the hybrid electrical dressing.	84
Figure 3.18	Block diagram of in-process ECDD	84

Figure 4.1	Schematic of Laser Beam Machining (LBM)	88
Figure 4.2	Gas-assisted laser	88
Figure 4.3	Types of laser.....	89
Figure 4.4	Experimental setup for fabricating micro-pin array using nanosecond pulsed laser beam machining	94
Figure 4.5	Multi-line scanning path for micro-pin array: (a) multi-line scanning path, (b) fabricated micro-pin array	94
Figure 4.6	(a) The workpiece with micro-pin array attached to the vertical surface, (b) attaching force according to subject surface roughness	95
Figure 4.7	Electron Beam Machining	96
Figure 4.8	The deflection beam system in EBM	97
Figure 4.9	The monitoring of Electron Beam Machining (Welding Products Dept., Linde Div. Union Carbide Corp.).....	98
Figure 4.10	EBM for making slot.....	98
Figure 4.11	The hole machining in EBM.....	99
Figure 4.12	Mechanism of Material Removal in EBM (IIT Kharagpur).....	99
Figure 4.13	Schematic of USM.....	100
Figure 4.14	The cutting tool and tool body	101
Figure 4.15	The tool wear of Ultrasonic Machining.....	102
Figure 4.16	The surface roughness of Al ₂ O ₃ ceramic for rotary ultrasonic grinding	103
Figure 4.17	Image processing methods for analyzing the results of ultrasonic machining.....	104
Figure 4.18	Plasma Arc Machining	105
Figure 4.19	FESEM micrographs (BSE mode) of arc plasma melt-cast composite sample surfaces with variation of B ₄ C wt% in the starting mixture: (a) WC-43 (WC + 1 wt% B ₄ C), (b) WC-46 (WC + 2 wt% B ₄ C), (c) WC-47 (WC + 3 wt% B ₄ C), (d) WC-10 (WC + 5 wt% B ₄ C), (e) WC-11 (WC + 10 wt% B ₄ C) and (f) WC-13 (WC + 15 wt% B ₄ C) (Dash and Nayak, 2015)	107

Figure 4.20	Micrograph showing nano indentation marks on WC-11 (WC + 10 wt- %B ₄ C) melt-cast sample surface after plasma arc machining (Dash and Nayak, 2015)	108
Figure 4.21	Water Jet Machining (www.chinawaterjets.com)	109
Figure 4.22	High-pressure water-jet model (Ayed et al., 2016)	109
Figure 4.23	Abrasive Jet Machining (engineeronadisk.com)	110
Figure 4.24	Typical cutting action of 0.018 in diameter nozzle (S.S White Company)	111
Figure 4.25	Top view of glass channel blasted at 200 kPa, 20 mm nozzle standoff, with a contacting crossed shadow mask having a square opening 260 micro meter on a side. The 30 micrometer wide frosted regions are indicated (Nouhia et al., 2015)	111
Figure 4.26	A particle striking the edge of a thin mask (a) is more likely to strike the surface, while that striking a thick mask (b) collides with the opposing mask (Nouhia et al., 2015).....	112